AMENDMENT TO THE CLAIMS

Please cancel claims 29 and 34.

- 1-3. (Canceled)
- 4. (Previously Presented) A communication device, comprising: a register configured to store a user identifier; a transmitter configured to transmit the user identifier to a network; and a subscriber identity module (SIM), wherein the user identifier is associated with a serial number that, at least in part, is assigned to the SIM by a manufacturer of the SIM.
- 5. (Previously Presented) The communication device of claim 4, further comprising a processor, wherein the processor is configured to encrypt at least one of a device identifier and the user identifier before transmission to the communication network.
- 6. (Previously Presented) The communication device of claim 4, further comprising:
 - a processor; and a user input interface configured to supply commands to the processor.
- 7. (Previously Presented) A cell phone, comprising:
 a display configured to display data and commands;
 a user input interface for data entry and command entry;
 a subscriber identity module (SIM) having a SIM serial number that, at
 least in part, is assigned to the SIM by a manufacturer of the SIM; and
 a transmitter configured to transmit the SIM serial number to a network.

8. (Original) The cell phone of claim 7, further comprising a memory configured to store a device identifier, wherein the transmitter is configured to transmit the device identifier.

9. (Canceled)

- 10. (Previously Presented) A content provider configured to communicate with one or more mobile stations, comprising a content personalization interface configured to receive an anonymous user identifier from at least one of the mobile stations, wherein the anonymous user identifier is based, at least in part, on a serial number of a SIM assigned to the SIM by a manufacturer of the SIM.
- 11. (Original) The content provider of claim 10, further providing a processor configured to deliver content to the at least one mobile station based on the anonymous user identifier.

12-13. (Canceled)

14. (Previously Presented) A content provider, comprising:
a personalization interface configured to receive anonymous
personalization data that includes an anonymous user identifier that is, at least in part,
a serial number of a subscriber identification module (SIM) assigned to the SIM by a
manufacturer of the SIM; and

a processor configured to provide content to a user based on the anonymous personalization data.

15. (Original) The content provider of claim 14, further comprising a database configured to store personalization data.

- 16. (Original) The content provider of claim 15, wherein the personalization interface is configured to receive anonymous personalization data associated with an HTTP header.
- 17. (Original) The content provider of claim 14, wherein the personalization interface is configured to receive anonymous personalization data that includes a device identifier and the processor provides device-specific content based on the device identifier.
- 18. (Original) The content provider of claim 14, wherein the personalization interface is configured to receive anonymous personalization data from a mobile station.
- 19. (Previously Presented) The content provider of claim 14, wherein the personalization interface is configured to receive the user identifier that is stored on the SIM.
- 20. (Previously Presented) The content provider of claim 19, wherein the user identifier is the SIM serial number assigned by the manufacturer of the SIM.
- 21. (Previously Presented) A method of providing personalized content in a wireless communication network, comprising:

selecting an anonymous user identifier based, at least in part, on a serial number of a subscriber identity module (SIM) assigned to the SIM by a manufacturer of the SIM; and

selecting content based on the user identifier.

22. (Previously Presented) The method of claim 21, wherein the selected user identifier is the serial number of the SIM.

- 23. (Original) The method of claim 22, further comprising selecting a device identifier.
- 24. (Previously Presented) The method of claim 23, further comprising: comparing the device identifier and the user identifier with a set of user profiles; and selecting content based on a selected user profile.
- (Previously Presented) A method of obtaining anonymous personalized content, comprising: selecting an anonymous user identifier based, at least in part, on a serial number assigned by a SIM manufacturer to a subscriber identification module;
- 27. (Previously Presented) The communication device of claim 4, wherein the register is configured to store a mobile station number and the transmitter is configured to transmit the mobile station number and the user identifier to a network.

identifying content for delivery based on the anonymous user identifier.

- 28. (Previously Presented) The communication device of claim 27, wherein the mobile station number is a mobile station ISDN number (MSISDN).
 - 29. (Cancelled)

25.

- 30. (Previously Presented) The communication device of claim 29, wherein the register is configured to store a mobile subscriber identity and the transmitter is configured to transmit the mobile subscriber identity to the network.
- 31. (Previously Presented) The communication device of claim 30, wherein the mobile subscriber identity is an international mobile subscriber identity (IMSI).

- 32. (Previously Presented) The communication device of claim 4, wherein the register is configured to store a mobile subscriber identity and the transmitter is configured to transmit the mobile subscriber identity to the network.
- 33. (Previously Presented) The communication device of claim 32, wherein the mobile subscriber identity is an international mobile subscriber identity (IMSI).
 - 34. (Cancelled)